




Bearing No. SL04-5013NR

J	78 mm
d	65 mm
D	100 mm
B	46 mm
C	45 mm
t	1 mm
f	2,5 mm
S	5,5 mm
E	105 mm
Cf	34 mm
da	70 mm
E1	116 mm
Cf1	34 mm
Noun	Bearing
Bore	2.559 Inch 65 Millimeter
Width	1.811 Inch 46 Millimeter
r min.	0,6 mm
Weight	1,27 Kg
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Category	Cylindrical Roller Bearing
Retainer	No
Size (mm)	65x100x46
Separable	No
Snap Ring	Yes
Inventory	0.0
Width (mm)	46

Bore Profile	Straight
Weight / LBS	2.928
Inch - Metric	Metric
Product Group	B04144
Cage Material	None
Relubricatable	Yes
Other Features	Full Complement 3 Rib Inner Ring 1 Rib Outer Ring
Bearing number	SL04-5013NR
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	65MM Bore; Straight Bore Profile; 100MM Outside Diameter; 46MM Width; RBEC 1 ISO P0; Double Row; Not Separable; Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer
Manufacturer URL	http://www.ntnamerica.com
Outside Diameter	3.937 Inch 100 Millimeter
Weight / Kilogram	1.325
Manufacturer Name	NTN
Internal Clearance	C0-Medium
Bore Diameter (mm)	65
Outer Diameter (mm)	100
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item Number	SL04-5013NR
Number of Rows of Rollers	Double Row

Basic static load rating (C0)	224 kN
Basic dynamic load rating (C)	128 kN