




Bearing No. SL04-5009NR

C	39 mm
t	0,8 mm
S	4,5 mm
J	56,6 mm
E	79 mm
d	45 mm
D	75 mm
B	40 mm
f	2 mm
da	48,5 mm
E1	88 mm
Cf	30 mm
Cf1	30 mm
Noun	Bearing
Bore	1.772 Inch 45 Millimeter
Width	1.575 Inch 40 Millimeter
UNSPSC	31171547
Weight	0,688 Kg
r min.	0,6 mm
Profile	Complete with Outer and Inner Ring
Retainer	No
Category	Cylindrical Roller Bearing
Inventory	0.0
Size (mm)	45x75x40
Snap Ring	Yes
Separable	No
Width (mm)	40

Weight / LBS	1.517
Bore Profile	Straight
Inch - Metric	Metric
Product Group	B04144
Cage Material	None
Other Features	Full Complement 3 Rib Inner Ring 1 Rib Outer Ring
Bearing number	SL04-5009NR
Relubricatable	Yes
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	45MM Bore; Straight Bore Profile; 75MM Outside Diameter; 40MM Width; RBEC 1 ISO P0; Double Row; Not Separable; Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer
Manufacturer URL	http://www.ntnamerica.com
Outside Diameter	2.953 Inch 75 Millimeter
Weight / Kilogram	0.69
Manufacturer Name	NTN
Internal Clearance	C0-Medium
Bore Diameter (mm)	45
Outer Diameter (mm)	75
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Number of Rows of Rollers	Double Row
Basic static load rating (C0)	144 kN

Basic dynamic load rating (C)	95,5 kN
-------------------------------	---------