




Bearing No. SL024864

	NNCL4864V / Designation to DIN 5412
s	6 mm / Axial displacement
E	379,7 mm
m	23,5 kg / Weight
d	320 mm
D	400 mm
B	80 mm
C	40 mm
Bore	12.598 Inch 320 Millimeter
Noun	Bearing
Width	3.15 Inch 80 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Retainer	No
Category	Cylindrical Roller Bearing
Size (mm)	320x400x80
Snap Ring	No
Inventory	0.0
Separable	Outer Ring - Both Sides
Width (mm)	80
Weight / LBS	62.04
Bore Profile	Straight
Inch - Metric	Metric
Cage Material	None
Product Group	B04144
C _r	850000 N / Dynamic load rating (radial)

n_G	860 1/min / Limiting speed
d_1	350,9 mm
Other Features	Full Complement 3 Rib Inner Ring Plain Outer Ring Operating Temperature From -30 to 120 Deg
Relubricatable	Yes
C_{Or}	2220000 N / Static load rating (radial)
Bearing number	SL024864
C_{ur}	236000 N / Fatigue limit load, radial
Rolling Element	Cylindrical Roller Bearing
r_{min}	2,1 mm
Precision Class	RBEC 1 ISO P0
Long Description	320MM Bore; Straight Bore Profile; 400MM Outside Diameter; 80MM Width; RBEC 1 ISO P0; Double Row; Outer Ring - Both Sides Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Re
Manufacturer URL	http://www.ina.com
Outside Diameter	15.748 Inch 400 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	28.17
Internal Clearance	C0-Medium
Bore Diameter (mm)	320
Outer Diameter (mm)	400
Minimum Buy Quantity	N/A



Harmonized Tariff Code	8482.50.00.00
Manufacturer Item Number	SL024864
Number of Rows of Rollers	Double Row