




Bearing No. 51117

D	110 mm
d	85 mm
T	19 mm
C	-
R	-
A	-
Ca	57.4
Cu	6.80
Coa	150
Noun	Bearing
UNSPSC	31171552
Bore 2	3.425 Inch 87 Millimeter
Height	0.748 Inch 19 Millimeter
r(min)	1
Banded	No
Bore 1	3.346 Inch 85 Millimeter
r min.	1 mm
D2(min)	-
D3(min)	-
ra(max)	1
Da(max)	95
da(min)	100
D1(min)	87
d1(max)	110
Category	Thrust Ball Bearings
Oil lub.	3200
Inventory	0.0
Size (mm)	85x110x19

Width (mm)	19
Grease lub.	2100
Bearing No.	51117
Weight / LBS	1.01413
Cage Material	Steel
Inch - Metric	Metric
Product Group	B00234
Bearing number	51117
Thrust Bearing	Yes
Other Features	Single Row With Flat Seat
Keyword String	Ball Thrust
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
Outside Diameter	4.331 Inch 110 Millimeter
(Refer.)Mass(kg)	0.460
Long Description	85MM Bore 1; 87MM Bore 2; 110MM Outside Diameter; 19MM Height; Ball Bearing; Single Direction; Not Banded; Steel Cage; ABEC 1 ISO P0 Precision
Manufacturer URL	http://www.koyousa.com
Weight / Kilogram	0
Manufacturer Name	KOYO
Bore Diameter (mm)	85
Outer Diameter (mm)	110
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Plus Raceways
Harmonized Tariff Code	8482.10.50.08
Single or Double Direction	Single Direction

(Grease) Lubrication Speed	2100 r/min
Basic static load rating (C0)	150 kN
Basic dynamic load rating (C)	45,9 kN
Overall Height with Aligning Washer	0 Inch 0 Millimeter