




Bearing No. SL014948

	NNC4948V / Designation to DIN 5412
D	320 mm
d	240 mm
B	80 mm
C	40 mm
m	18,5 kg / Weight
Bore	9.449 Inch 240 Millimeter
Noun	Bearing
Width	3.15 Inch 80 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Retainer	No
Category	Cylindrical Roller Bearing
Inventory	0.0
Separable	No
Size (mm)	240x320x80
Snap Ring	No
Width (mm)	80
Weight / LBS	48.84
Bore Profile	Straight
Cage Material	None
Product Group	B04144
Inch - Metric	Metric
n_G	1110 1/min / Limiting speed
d_1	270,6 mm
D_1	292,3 mm

C _r	740000 N / Dynamic load rating (radial)
Relubricatable	Yes
Other Features	Full Complement 3 Rib Inner Ring 2 Rib Outer Ring Operating Temperature From -30 to 120 Deg
Bearing number	SL014948
C _{ur}	195000 N / Fatigue limit load, radial
C _{0r}	1700000 N / Static load rating (radial)
r _{min}	2,1 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	240MM Bore; Straight Bore Profile; 320MM Outside Diameter; 80MM Width; RBEC 1 ISO P0; Double Row; Not Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer
Manufacturer URL	http://www.ina.com
Outside Diameter	12.598 Inch 320 Millimeter
Weight / Kilogram	22.17
Manufacturer Name	SCHAEFFLER GROUP
Internal Clearance	C0-Medium
Bore Diameter (mm)	240
Outer Diameter (mm)	320
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item	SL014948

Number	
Number of Rows of Rollers	Double Row