




Bearing No. SL014964

	NNC4964V / Designation to DIN 5412
B	118 mm
m	56 kg / Weight
C	59 mm
d	320 mm
D	440 mm
Bore	12.598 Inch 320 Millimeter
Noun	Bearing
Width	4.646 Inch 118 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Category	Cylindrical Roller Bearing
Retainer	No
Size (mm)	320x440x118
Inventory	0.0
Snap Ring	No
Separable	No
Width (mm)	118
Bore Profile	Straight
Weight / LBS	147.84
Cage Material	None
Inch - Metric	Metric
Product Group	B04144
C _r	1700000 N / Dynamic load rating (radial)
D ₁	401,1 mm
d ₁	367,5 mm

n_G	800 1/min / Limiting speed
Bearing number	SL014964
Other Features	Full Complement 3 Rib Inner Ring 2 Rib Outer Ring Operating Temperature From -30 to 120 Deg
Relubricatable	Yes
C_{ur}	430000 N / Fatigue limit load, radial
C_{Or}	4050000 N / Static load rating (radial)
r_{min}	3 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	320MM Bore; Straight Bore Profile; 440MM Outside Diameter; 118MM Width; RBEC 1 ISO P0; Double Row; Not Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer
Manufacturer URL	http://www.ina.com
Outside Diameter	17.323 Inch 440 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	67.12
Internal Clearance	C0-Medium
Bore Diameter (mm)	320
Outer Diameter (mm)	440
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item	SL014964



Number	
Number of Rows of Rollers	Double Row