




Bearing No. FYT 1.3/8 FM

N	12 mm
G	29,4 mm
T	25,5 mm
L	14,3 mm
H	130,2 mm
J	96 mm
d	34,925 mm
B1	38,9 mm
A1	34,5 mm
s1	50,4 mm
Da	156 mm
A2	13 mm
Noun	Bearing
Bore	1.375 Inch 34.925 Millimeter
Seals	M Seal
Weight	1,35 Kg
UNSPSC	31171501
Category	Flange Block
Inventory	0.0
Bolt Spacing	5.125 Inch 130.18 Millimeter
Weight / LBS	3
Inch - Metric	Inch
Housing Style	2 Bolt Flange Block
Product Group	M06110
Bearing number	FYT 1.3/8 FM
Mounting Bolts	1/2 Inch
Keyword String	Flanged
Relubricatable	Yes
Other Features	Single Row Standard

	Duty Narrow Inner Race Open End Y Bearing
Mounting Method	Eccentric Collar
Rolling Element	Ball Bearing
Long Description	2 Bolt Flange Block; 1-3/8" Bore; 5.1" Bolt Circle; 5-1/8" Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron; Ball Bearing; 1-17/32" Length Thru Bore; Relubricatable;
Housing Material	Cast Iron
Manufacturer URL	http://www.skf.com
Length Thru Bore	1.531 Inch 38.9 Millimeter
Manufacturer Name	SKF
Weight / Kilogram	1.36
Insert Part Number	YET 207-106
Bore Diameter (mm)	34,925
Pilot Configuration	No Pilot
Minimum Buy Quantity	N/A
Cartridge Pilot Depth	0 Inch 0 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Number of Mounting Holes	2
Manufacturer Item Number	FYT 1.3/8 FM
Expansion / Non-expansion	Non-expansion
Basic dynamic load rating (C)	15,3 kN
Basic static load rating (C0)	0,655 kN



Nominal Bolt Circle Diameter Round	5.1 Inch 130 Millimeter
---------------------------------------	---------------------------