




Bearing No. FYT 2.3/16 RM

B	45 mm
d	55,563 mm
G	16 mm
H	216 mm
J	184,2 mm
L	127 mm
N	19 mm
T	62,3 mm
s1	32,5 mm
A1	47,6 mm
A2	20,6 mm
Bore	2.188 Inch 55.575 Millimeter
Noun	Bearing
Seals	M Seal
UNSPSC	31171501
Weight	3,1 Kg
series:	FYT
Category	Flange Block
Inventory	0.0
bore type:	Round
duty type:	Intermediate Duty
seal type:	Contact Seal
Width (mm)	45
Bolt Spacing	7.25 Inch 184.15 Millimeter
Weight / LBS	6.3
maximum rpm:	3600 RPM
Product Group	M06110
Housing Style	2 Bolt Flange Block
Inch - Metric	Inch

Keyword String	Flanged
Other Features	Single Row Standard Duty Narrow Inner Race Open End Y Bearing
mounting type:	Two-Bolt Flange
Bearing number	FYT 2.3/16 RM
bore diameter:	2.1875 in
Mounting Bolts	5/8 Inch
Relubricatable	Yes
Mounting Method	Set Screw
locking device:	Set Screw
expansion type:	Non-Expansion Bearing (Fixed)
Rolling Element	Ball Bearing
finish/coating:	Uncoated
Long Description	2 Bolt Flange Block; 2-3/16" Bore; 7.3" Bolt Circle; 7-1/4" Bolt Spacing; 1 Piece Solid; Set Screw Mount; Cast Iron; Ball Bearing; 1-25/32" Length Thru Bore; Relubricatable; M Seal
Housing Material	Cast Iron
Manufacturer URL	http://www.skf.com
Length Thru Bore	1.781 Inch 45.237 Millimeter
housing material:	Cast Iron
Manufacturer Name	SKF
lubrication type:	Lubrication Fitting
Weight / Kilogram	3.007
Bore Diameter (mm)	55,563
Insert Part Number	YAT 211-203
Pilot Configuration	No Pilot

Minimum Buy Quantity	N/A
replacement bearing:	YAT 211-203
length through bore:	62.3 mm
Cartridge Pilot Depth	0 Inch 0 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Fatigue load limit (Pu)	1,25
manufacturer upc number:	7316571503639
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Manufacturer Item Number	FYT 2.3/16 RM
Number of Mounting Holes	2
Expansion / Non-expansion	Non-expansion
radial static load capacity:	6530 lbf
Basic static load rating (C0)	29 kN
Basic dynamic load rating (C)	43,6 kN
bolt center-to-center length:	7.2500 in
radial dynamic load capacity:	9810 lbf
Nominal Bolt Circle Diameter Round	7.3 Inch 184.2 Millimeter