




Bearing No. SL014876

	NNC4876V / Designation to DIN 5412
D	480 mm
d	380 mm
B	100 mm
C	50 mm
m	45,5 kg / Weight
Bore	14.961 Inch 380 Millimeter
Noun	Bearing
Width	3.937 Inch 100 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Retainer	No
Category	Cylindrical Roller Bearing
Inventory	0.0
Separable	No
Size (mm)	380x480x100
Snap Ring	No
Width (mm)	100
Weight / LBS	120.12
Bore Profile	Straight
Cage Material	None
Product Group	B04144
Inch - Metric	Metric
n_G	710 1/min / Limiting speed
d_1	419 mm
D_1	447,2 mm

C_r	1320000 N / Dynamic load rating (radial)
Relubricatable	Yes
Other Features	Full Complement 3 Rib Inner Ring 2 Rib Outer Ring Operating Temperature From -30 to 120 Deg
Bearing number	SL014876
C_{ur}	360000 N / Fatigue limit load, radial
C_{Or}	3500000 N / Static load rating (radial)
r_{min}	2,1 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	380MM Bore; Straight Bore Profile; 480MM Outside Diameter; 100MM Width; RBEC 1 ISO P0; Double Row; Not Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer
Manufacturer URL	http://www.ina.com
Outside Diameter	18.898 Inch 480 Millimeter
Weight / Kilogram	54.53
Manufacturer Name	SCHAEFFLER GROUP
Internal Clearance	C0-Medium
Bore Diameter (mm)	380
Outer Diameter (mm)	480
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item	SL014876



Number	
Number of Rows of Rollers	Double Row