




Bearing No. SL014914

	NNC4914V / Designation to DIN 5412
B	30 mm
m	0,78 kg / Weight
C	15 mm
d	70 mm
D	100 mm
Bore	2.756 Inch 70 Millimeter
Noun	Bearing
Width	1.181 Inch 30 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Category	Cylindrical Roller Bearing
Retainer	No
Size (mm)	70x100x30
Inventory	0.0
Snap Ring	No
Separable	No
Width (mm)	30
Bore Profile	Straight
Weight / LBS	2.059
Cage Material	None
Inch - Metric	Metric
Product Group	B04144
C _r	106000 N / Dynamic load rating (radial)
D ₁	87,4 mm
d ₁	82,5 mm

n_G	3900 1/min / Limiting speed
Bearing number	SL014914
Other Features	Full Complement 3 Rib Inner Ring 2 Rib Outer Ring Operating Temperature From -30 to 120 Deg
Relubricatable	Yes
C_{ur}	27000 N / Fatigue limit load, radial
C_{Or}	185000 N / Static load rating (radial)
r_{min}	1 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	70MM Bore; Straight Bore Profile; 100MM Outside Diameter; 30MM Width; RBEC 1 ISO P0; Double Row; Not Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer
Manufacturer URL	http://www.ina.com
Outside Diameter	3.937 Inch 100 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	0.94
Internal Clearance	C0-Medium
Bore Diameter (mm)	70
Outer Diameter (mm)	100
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item	SL014914



Number	
Number of Rows of Rollers	Double Row