




Bearing No. SL014916

	NNC4916V / Designation to DIN 5412
D	110 mm
d	80 mm
B	30 mm
C	15 mm
m	0,88 kg / Weight
Bore	3.15 Inch 80 Millimeter
Noun	Bearing
Width	1.181 Inch 30 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Retainer	No
Category	Cylindrical Roller Bearing
Inventory	0.0
Separable	No
Size (mm)	80x110x30
Snap Ring	No
Width (mm)	30
Weight / LBS	2.323
Bore Profile	Straight
Cage Material	None
Product Group	B04144
Inch - Metric	Metric
n_G	3550 1/min / Limiting speed
d_1	91,4 mm
D_1	96,2 mm
C_r	112000 N / Dynamic

	load rating (radial)
Relubricatable	Yes
Other Features	Full Complement 3 Rib Inner Ring 2 Rib Outer Ring Operating Temperature From -30 to 120 Deg
Bearing number	SL014916
C _{ur}	30000 N / Fatigue limit load, radial
C _{0r}	206000 N / Static load rating (radial)
r _{min}	1 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	80MM Bore; Straight Bore Profile; 110MM Outside Diameter; 30MM Width; RBEC 1 ISO P0; Double Row; Not Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer
Manufacturer URL	http://www.ina.com
Outside Diameter	4.331 Inch 110 Millimeter
Weight / Kilogram	1.06
Manufacturer Name	SCHAEFFLER GROUP
Internal Clearance	C0-Medium
Bore Diameter (mm)	80
Outer Diameter (mm)	110
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item Number	SL014916



Number of Rows of Rollers	Double Row
------------------------------	------------