




Bearing No. SL014922

	NNC4922V / Designation to DIN 5412
D	150 mm
d	110 mm
B	40 mm
C	20 mm
m	2,15 kg / Weight
Bore	4.331 Inch 110 Millimeter
Noun	Bearing
Width	1.575 Inch 40 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Retainer	No
Category	Cylindrical Roller Bearing
Inventory	0.0
Separable	No
Size (mm)	110x150x40
Snap Ring	No
Width (mm)	40
Weight / LBS	5.676
Bore Profile	Straight
Cage Material	None
Product Group	B04144
Inch - Metric	Metric
n_G	2500 1/min / Limiting speed
d_1	125 mm
D_1	133,6 mm

C_r	198000 N / Dynamic load rating (radial)
Relubricatable	Yes
Other Features	Full Complement 3 Rib Inner Ring 2 Rib Outer Ring Operating Temperature From -30 to 120 Deg
Bearing number	SL014922
C_{ur}	50000 N / Fatigue limit load, radial
C_{Or}	400000 N / Static load rating (radial)
r_{min}	1,1 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	110MM Bore; Straight Bore Profile; 150MM Outside Diameter; 40MM Width; RBEC 1 ISO P0; Double Row; Not Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer
Manufacturer URL	http://www.ina.com
Outside Diameter	5.906 Inch 150 Millimeter
Weight / Kilogram	2.575
Manufacturer Name	SCHAEFFLER GROUP
Internal Clearance	C0-Medium
Bore Diameter (mm)	110
Outer Diameter (mm)	150
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item	SL014922



Number	
Number of Rows of Rollers	Double Row