




Bearing No. SL014924

	NNC4924V / Designation to DIN 5412
D	165 mm
d	120 mm
B	45 mm
C	22,5 mm
m	2,95 kg / Weight
Bore	4.724 Inch 120 Millimeter
Noun	Bearing
Width	1.772 Inch 45 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Retainer	No
Category	Cylindrical Roller Bearing
Inventory	0.0
Separable	No
Size (mm)	120x165x45
Snap Ring	No
Width (mm)	45
Weight / LBS	7.788
Bore Profile	Straight
Cage Material	None
Product Group	B04144
Inch - Metric	Metric
n_G	2260 1/min / Limiting speed
d_1	138,6 mm
D_1	148,6 mm

C_r	222000 N / Dynamic load rating (radial)
Relubricatable	Yes
Other Features	Full Complement 3 Rib Inner Ring 2 Rib Outer Ring Operating Temperature From -30 to 120 Deg
Bearing number	SL014924
C_{ur}	55000 N / Fatigue limit load, radial
C_{Or}	440000 N / Static load rating (radial)
r_{min}	1,1 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	120MM Bore; Straight Bore Profile; 165MM Outside Diameter; 45MM Width; RBEC 1 ISO P0; Double Row; Not Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer
Manufacturer URL	http://www.ina.com
Outside Diameter	6.496 Inch 165 Millimeter
Weight / Kilogram	2.95
Manufacturer Name	SCHAEFFLER GROUP
Internal Clearance	C0-Medium
Bore Diameter (mm)	120
Outer Diameter (mm)	165
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item	SL014924



Number	
Number of Rows of Rollers	Double Row