




Bearing No. SL014938

	NNC4938V / Designation to DIN 5412
D	260 mm
d	190 mm
B	69 mm
C	34,5 mm
m	11,2 kg / Weight
Bore	7.48 Inch 190 Millimeter
Noun	Bearing
Width	2.717 Inch 69 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Retainer	No
Category	Cylindrical Roller Bearing
Inventory	2.0
Separable	No
Size (mm)	190x260x69
Snap Ring	No
Width (mm)	69
Weight / LBS	29.568
Bore Profile	Straight
Cage Material	None
Product Group	B04144
Inch - Metric	Metric
n_G	1410 1/min / Limiting speed
d_1	215 mm
D_1	234,3 mm

C_r	580000 N / Dynamic load rating (radial)
Relubricatable	Yes
Other Features	Full Complement 3 Rib Inner Ring 2 Rib Outer Ring Operating Temperature From -30 to 120 Deg
Bearing number	SL014938
C_{ur}	152000 N / Fatigue limit load, radial
C_{Or}	1270000 N / Static load rating (radial)
r_{min}	2 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	190MM Bore; Straight Bore Profile; 260MM Outside Diameter; 69MM Width; RBEC 1 ISO P0; Double Row; Not Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer
Manufacturer URL	http://www.ina.com
Outside Diameter	10.236 Inch 260 Millimeter
Weight / Kilogram	13.42
Manufacturer Name	SCHAEFFLER GROUP
Internal Clearance	C0-Medium
Bore Diameter (mm)	190
Outer Diameter (mm)	260
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item	SL014938



Number	
Number of Rows of Rollers	Double Row