




Bearing No. SL014832

	NNC4832V / Designation to DIN 5412
B	40 mm
m	3,1 kg / Weight
C	20 mm
d	160 mm
D	200 mm
Bore	6.299 Inch 160 Millimeter
Noun	Bearing
Width	1.575 Inch 40 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Category	Cylindrical Roller Bearing
Retainer	No
Size (mm)	160x200x40
Inventory	0.0
Snap Ring	No
Separable	No
Width (mm)	40
Bore Profile	Straight
Weight / LBS	8.184
Cage Material	None
Inch - Metric	Metric
Product Group	B04144
C _r	237000 N / Dynamic load rating (radial)
D ₁	182,8 mm
d ₁	173,7 mm

n_G	1800 1/min / Limiting speed
Bearing number	SL014832
Other Features	Full Complement 3 Rib Inner Ring 2 Rib Outer Ring Operating Temperature From -30 to 120 Deg
Relubricatable	Yes
C_{ur}	80000 N / Fatigue limit load, radial
C_{Or}	560000 N / Static load rating (radial)
r_{min}	1,1 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	160MM Bore; Straight Bore Profile; 200MM Outside Diameter; 40MM Width; RBEC 1 ISO P0; Double Row; Not Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer
Manufacturer URL	http://www.ina.com
Outside Diameter	7.874 Inch 200 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	3.72
Internal Clearance	C0-Medium
Bore Diameter (mm)	160
Outer Diameter (mm)	200
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item	SL014832



Number	
Number of Rows of Rollers	Double Row