




Bearing No. SL014840

	NNC4840V / Designation to DIN 5412
D	250 mm
d	200 mm
B	50 mm
C	25 mm
m	5,9 kg / Weight
Bore	7.874 Inch 200 Millimeter
Noun	Bearing
Width	1.969 Inch 50 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Retainer	No
Category	Cylindrical Roller Bearing
Inventory	0.0
Separable	No
Size (mm)	200x250x50
Snap Ring	No
Width (mm)	50
Weight / LBS	14.362
Bore Profile	Straight
Cage Material	None
Product Group	B04144
Inch - Metric	Metric
n _G	1410 1/min / Limiting speed
d ₁	218,1 mm
D ₁	231,2 mm

C_r	320000 N / Dynamic load rating (radial)
Relubricatable	Yes
Other Features	Full Complement 3 Rib Inner Ring 2 Rib Outer Ring Operating Temperature From -30 to 120 Deg
Bearing number	SL014840
C_{ur}	84000 N / Fatigue limit load, radial
C_{Or}	770000 N / Static load rating (radial)
r_{min}	1,5 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	200MM Bore; Straight Bore Profile; 250MM Outside Diameter; 50MM Width; RBEC 1 ISO P0; Double Row; Not Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer
Manufacturer URL	http://www.ina.com
Outside Diameter	9.843 Inch 250 Millimeter
Weight / Kilogram	6.52
Manufacturer Name	SCHAEFFLER GROUP
Internal Clearance	C0-Medium
Bore Diameter (mm)	200
Outer Diameter (mm)	250
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item	SL014840



Number	
Number of Rows of Rollers	Double Row