




Bearing No. SL014848

	NNC4848V / Designation to DIN 5412
D	300 mm
d	240 mm
B	60 mm
C	30 mm
m	10 kg / Weight
Bore	9.449 Inch 240 Millimeter
Noun	Bearing
Width	2.362 Inch 60 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Retainer	No
Category	Cylindrical Roller Bearing
Inventory	0.0
Separable	No
Size (mm)	240x300x60
Snap Ring	No
Width (mm)	60
Weight / LBS	26.4
Bore Profile	Straight
Cage Material	None
Product Group	B04144
Inch - Metric	Metric
n_G	1170 1/min / Limiting speed
d_1	259,5 mm
D_1	276,7 mm

C_r	510000 N / Dynamic load rating (radial)
Relubricatable	Yes
Other Features	Full Complement 3 Rib Inner Ring 2 Rib Outer Ring Operating Temperature From -30 to 120 Deg
Bearing number	SL014848
C_{ur}	143000 N / Fatigue limit load, radial
C_{Or}	1260000 N / Static load rating (radial)
r_{min}	2 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	240MM Bore; Straight Bore Profile; 300MM Outside Diameter; 60MM Width; RBEC 1 ISO P0; Double Row; Not Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer
Manufacturer URL	http://www.ina.com
Outside Diameter	11.811 Inch 300 Millimeter
Weight / Kilogram	11.99
Manufacturer Name	SCHAEFFLER GROUP
Internal Clearance	C0-Medium
Bore Diameter (mm)	240
Outer Diameter (mm)	300
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item	SL014848



Number	
Number of Rows of Rollers	Double Row