




Bearing No. SL014860

	NNC4860V / Designation to DIN 5412
C	40 mm
m	23 kg / Weight
d	300 mm
D	380 mm
B	80 mm
Noun	Bearing
Bore	11.811 Inch 300 Millimeter
Width	3.15 Inch 80 Millimeter
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Category	Cylindrical Roller Bearing
Retainer	No
Size (mm)	300x380x80
Inventory	0.0
Snap Ring	No
Separable	No
Width (mm)	80
Bore Profile	Straight
Weight / LBS	60.72
Cage Material	None
Inch - Metric	Metric
Product Group	B04144
C _r	820000 N / Dynamic load rating (radial)
D ₁	349,9 mm
d ₁	327,9 mm

n _G	920 1/min / Limiting speed
Bearing number	SL014860
Other Features	Full Complement 3 Rib Inner Ring 2 Rib Outer Ring Operating Temperature From -30 to 120 Deg
Relubricatable	Yes
C _{ur}	225000 N / Fatigue limit load, radial
C _{0r}	2070000 N / Static load rating (radial)
r _{min}	2,1 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	300MM Bore; Straight Bore Profile; 380MM Outside Diameter; 80MM Width; RBEC 1 ISO P0; Double Row; Not Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer
Manufacturer URL	http://www.ina.com
Outside Diameter	14.961 Inch 380 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	27.567
Internal Clearance	C0-Medium
Bore Diameter (mm)	300
Outer Diameter (mm)	380
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item	SL014860



Number	
Number of Rows of Rollers	Double Row