




Bearing No. SL04-5022NR

S	7 mm
d	110 mm
D	170 mm
B	80 mm
C	79 mm
t	1,8 mm
f	2,5 mm
E	176,4 mm
J	131,5 mm
Cf	65 mm
E1	200 mm
da	116,5 mm
Cf1	65 mm
Bore	4.331 Inch 110 Millimeter
Noun	Bearing
Width	3.15 Inch 80 Millimeter
r min.	1 mm
Weight	7 Kg
UNSPSC	31171547
Profile	Complete with Outer and Inner Ring
Retainer	No
Category	Cylindrical Roller Bearing
Separable	No
Size (mm)	110x170x80
Inventory	0.0
Snap Ring	Yes
Width (mm)	80
Bore Profile	Straight

Weight / LBS	14.409
Inch - Metric	Metric
Product Group	B04144
Cage Material	None
Other Features	Full Complement 3 Rib Inner Ring 1 Rib Outer Ring
Relubricatable	Yes
Bearing number	SL04-5022NR
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	110MM Bore; Straight Bore Profile; 170MM Outside Diameter; 80MM Width; RBEC 1 ISO P0; Double Row; Not Separable; Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer
Manufacturer URL	http://www.ntnamerica.com
Outside Diameter	6.693 Inch 170 Millimeter
Weight / Kilogram	6.54
Manufacturer Name	NTN
Internal Clearance	C0-Medium
Bore Diameter (mm)	110
Outer Diameter (mm)	170
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item Number	SL04-5022NR
Number of Rows of Rollers	Double Row
Basic static load rating	695 kN

(C0)	
Basic dynamic load rating (C)	385 kN