




Bearing No. SL04-5028NR

C	94 mm
t	1,8 mm
S	8,5 mm
J	167 mm
E	218,5 mm
d	140 mm
D	210 mm
B	95 mm
f	3 mm
da	146,5 mm
E1	245 mm
Cf	77 mm
Cf1	77 mm
Noun	Bearing
Bore	5.512 Inch 140 Millimeter
Width	3.74 Inch 95 Millimeter
UNSPSC	31171547
Weight	12,1 Kg
r min.	1 mm
Profile	Complete with Outer and Inner Ring
Retainer	No
Category	Cylindrical Roller Bearing
Inventory	0.0
Size (mm)	140x210x95
Snap Ring	Yes
Separable	No
Width (mm)	95
Weight / LBS	24.973

Bore Profile	Straight
Inch - Metric	Metric
Product Group	B04144
Cage Material	None
Other Features	Full Complement 3 Rib Inner Ring 1 Rib Outer Ring
Bearing number	SL04-5028NR
Relubricatable	Yes
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	140MM Bore; Straight Bore Profile; 210MM Outside Diameter; 95MM Width; RBEC 1 ISO P0; Double Row; Not Separable; Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer
Manufacturer URL	http://www.ntnamerica.com
Outside Diameter	8.268 Inch 210 Millimeter
Weight / Kilogram	11.34
Manufacturer Name	NTN
Internal Clearance	C0-Medium
Bore Diameter (mm)	140
Outer Diameter (mm)	210
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item Number	SL04-5028NR
Number of Rows of Rollers	Double Row
Basic static load rating	1 120 kN

(C0)	
Basic dynamic load rating (C)	600 kN