

Bearing No. SL01-4912

K	74,5 mm
d	60 mm
D	85 mm
B	25 mm
C	25 mm
J	69,5 mm
da	65 mm
Da	80 mm
?	1 Tolerance h14
Bore	2.362 Inch 60 Millimeter
Noun	Bearing
Width	0.984 Inch 25 Millimeter
r min.	1 mm
Weight	0,46 Kg
UNSPSC	31171547
ra max.	1 mm
Profile	Complete with Outer and Inner Ring
Retainer	No
Category	Cylindrical Roller Bearing
Size (mm)	60x85x25
Snap Ring	No
Inventory	0.0
Separable	No
Width (mm)	25
Bore Profile	Straight
Weight / LBS	0.984
Inch - Metric	Metric

Product Group	B04144
Cage Material	None
Relubricatable	Yes
Other Features	Full Complement 3 Rib Inner Ring 2 Rib Outer Ring
Bearing number	SL01-4912
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	60MM Bore; Straight Bore Profile; 85MM Outside Diameter; 25MM Width; RBEC 1 ISO P0; Double Row; Not Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer
Outside Diameter	3.346 Inch 85 Millimeter
Manufacturer URL	http://www.ntnamerica.com
Weight / Kilogram	0.445
Manufacturer Name	NTN
Bore Diameter (mm)	60
Internal Clearance	C0-Medium
Outer Diameter (mm)	85
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item Number	SL01-4912
Number of Rows of Rollers	Double Row
(Grease) Lubrication Speed	1 700 r/min
Basic dynamic load	73 kN

rating (C)	
Basic static load rating (C0)	136 kN