

Bearing No. SL01-4914

D	100 mm
d	70 mm
B	30 mm
C	30 mm
J	81,5 mm
K	88 mm
Da	95 mm
da	75 mm
?	1 Tolerance h14
Bore	2.756 Inch 70 Millimeter
Noun	Bearing
Width	1.181 Inch 30 Millimeter
Weight	0,78 Kg
UNSPSC	31171547
r min.	1 mm
Profile	Complete with Outer and Inner Ring
ra max.	1 mm
Category	Cylindrical Roller Bearing
Retainer	No
Separable	No
Inventory	0.0
Snap Ring	No
Size (mm)	70x100x30
Width (mm)	30
Weight / LBS	1.675
Bore Profile	Straight
Inch - Metric	Metric

Product Group	B04144
Cage Material	None
Bearing number	SL01-4914
Other Features	Full Complement 3 Rib Inner Ring 2 Rib Outer Ring
Relubricatable	Yes
Rolling Element	Cylindrical Roller Bearing
Precision Class	RBEC 1 ISO P0
Long Description	70MM Bore; Straight Bore Profile; 100MM Outside Diameter; 30MM Width; RBEC 1 ISO P0; Double Row; Not Separable; No Snap Ring; Relubricatable; C0-Medium Internal Clearance; No Retainer
Manufacturer URL	http://www.ntnamerica.com
Outside Diameter	3.937 Inch 100 Millimeter
Manufacturer Name	NTN
Weight / Kilogram	0.758
Internal Clearance	C0-Medium
Bore Diameter (mm)	70
Outer Diameter (mm)	100
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item Number	SL01-4914
Number of Rows of Rollers	Double Row
(Grease) Lubrication Speed	1 400 r/min
Basic static load rating	193 kN

(C0)	
Basic dynamic load rating (C)	105 kN