




Bearing No. 89415-M

	GS89415 / Allocated housing locating washer
m	5,96 kg / Weight
d	75 mm
D	160 mm
T	51 mm
Noun	Bearing
Banded	No
UNSPSC	31171507
Height	2.008 Inch 51 Millimeter
Bore 1	2.953 Inch 75 Millimeter
Bore 2	3.071 Inch 78 Millimeter
Category	Thrust Roller Bearings
Keyword 3	Cylindrical
Inventory	0.0
Size (mm)	75x160x51
Width (mm)	51
Weight / LBS	13.14
Inch - Metric	Metric
Cage Material	Machined Brass
Self Aligning	No
Product Group	B04144
n_G	2440 1/min / Limiting speed
D_1	78 mm
d_1	160 mm
n_B	1000 1/min / Reference speed
C	500000 N / Dynamic

a	load rating (axial)
Bearing number	89415-M
Keyword String	Thrust Roller Cylindrical
Other Features	Double Row Axial Cylindrical Roller High Axial Load
C _{ua}	160000 N / Fatigue limit load
C _{0a}	1580000 N / Static load rating (axial)
Thrust Bearing	Yes
r _{min}	2 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	ABEC 1 ISO P0
Long Description	75MM Bore 1; 78MM Bore 2; 160MM Outside Diameter; 51MM Height; Cylindrical Roller Bearing; Single Direction; Not Self Aligning; Not Banded; Machined Brass Cage; ABEC 1 ISO P0; Roller Assembly plus R
Manufacturer URL	http://www.ina.com
Outside Diameter	6.299 Inch 160 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	7.137
Bore Diameter (mm)	75
Outer Diameter (mm)	160
Minimum Buy Quantity	N/A
Component Description	Roller Assembly plus Raceways
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item	89415M

Number	
Single or Double Direction	Single Direction
Overall Height with Aligning Washer	0 Inch 0 Millimeter
- K89415-M / Allocated axial cylindrical roller and cage assembly	K89415M / Allocated axial cylindrical roller and cage assembly