
Loyal | 51228



Bearing No. 51228

D	200 mm
d	140 mm
T	46 mm
D1	143 mm
d1	197 mm
Noun	Bearing
Bore 2	5.63 Inch | 143 Millimeter
Bore 1	5.512 Inch | 140 Millimeter
UNSPSC	31171552
Weight	4,77 Kg
Height	1.811 Inch | 46 Millimeter
r min.	1,5 mm
Banded	No
Da max.	164 mm
ra max.	1,5 mm
da min.	176 mm
Category	Thrust Ball Bearings
Size (mm)	140x200x46
Inventory	0.0
Width (mm)	46
maximum rpm:	1400 rpm
Weight / LBS	10.51605
Inch - Metric	Metric
Cage Material	Steel
Product Group	B00308
Keyword String	Ball Thrust
Other Features	Single Row | With Flat Seat

bore diameter:	140 mm
Bearing number	51228
overall width:	46 mm
fillet radius:	1.5 mm
cage material:	Steel
Thrust Bearing	Yes
Precision Class	ABEC 1 | ISO P0
Rolling Element	Ball Bearing
Outside Diameter	7.874 Inch | 200 Millimeter
Manufacturer URL	http://www.ntnamerica.com
Long Description	140MM Bore 1; 143MM Bore 2; 200MM Outside Diameter; 46MM Height; Ball Bearing; Single Direction; Not Banded; Steel Cage; ABEC 1 | ISO P0 Precision
bearing material:	High Carbon Chrome Steel
Weight / Kilogram	4.434
outside diameter:	197 mm
Manufacturer Name	NTN
precision rating:	ISO Class 0
Bore Diameter (mm)	140
Outer Diameter (mm)	200
Minimum Buy Quantity	N/A
separable or banded:	Separable
thrust bearing type:	Single-Direction
Component Description	Roller Assembly Plus Raceways
static load capacity:	595000 N
dynamic load capacity:	193000 N
Harmonized Tariff Code	8482.10.50.08

Manufacturer Item Number	51228
outside diameter design:	Straight
Single or Double Direction	Single Direction
(Grease) Lubrication Speed	980 r/min
manufacturer product page:	Click here
operating temperature range:	-40 to 120 ºC
Basic static load rating (C0)	595 kN
Basic dynamic load rating (C)	193 kN
Overall Height with Aligning Washer	0 Inch | 0 Millimeter