



Bearing No. 89313-TV

	GS89313 / Allocated housing locating washer
m	1,33 kg / Weight
d	65 mm
D	115 mm
T	30 mm
Noun	Bearing
Banded	No
UNSPSC	31171507
Bore 2	2.638 Inch 67 Millimeter
Bore 1	2.559 Inch 65 Millimeter
Height	1.181 Inch 30 Millimeter
Category	Thrust Roller Bearings
Keyword 3	Cylindrical
Inventory	0.0
Size (mm)	65x115x30
Width (mm)	30
Weight / LBS	2.933
Inch - Metric	Metric
Cage Material	Polyamide
Self Aligning	No
Product Group	B04144
n_G	3200 1/min / Limiting speed
D_1	67 mm
d_1	115 mm
n_B	1330 1/min / Reference speed
C	194000 N / Dynamic

a	load rating (axial)
Bearing number	89313-TV
Keyword String	Thrust Roller Cylindrical
Other Features	Double Row Axial Cylindrical Roller Very High Axial Load
C _{ua}	58000 N / Fatigue limit load
C _{0a}	670000 N / Static load rating (axial)
Thrust Bearing	Yes
r _{min}	1,1 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	ABEC 1 ISO P0
Outside Diameter	4.528 Inch 115 Millimeter
Long Description	65MM Bore 1; 67MM Bore 2; 115MM Outside Diameter; 30MM Height; Cylindrical Roller Bearing; Single Direction; Not Self Aligning; Not Banded; Polyamide Cage; ABEC 1 ISO P0; Roller Assembly plus Racewa
Manufacturer URL	http://www.ina.com
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	1.594
Bore Diameter (mm)	65
Outer Diameter (mm)	115
Minimum Buy Quantity	N/A
Component Description	Roller Assembly plus Raceways
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item	89313TN

Number	
Single or Double Direction	Single Direction
Overall Height with Aligning Washer	0 Inch 0 Millimeter
- K89313-TV / Allocated axial cylindrical roller and cage assembly	K89313TV / Allocated axial cylindrical roller and cage assembly