




Bearing No. 24034CE4

r	2.1
d	170 mm
D	260 mm
B	90 mm
C	90 mm
e	0.31
Y2	3.2
C0	1520
D_	260
B_	90
Y0	2.1
ra	2
Y1	2.2
X0	1
X1	1
X2	0.67
Y3	2.2
Z_	25
DE_	237.908
DA_	22.5
SIR	36
DI_	193.851
bomp	24034CE4
SBRG	40
KBRG	2322
SDM_	215.88
ALP1	11
mass	17.3
yobi	24034CE4
ALP3	0

ALP2	45
da min	182
r min.	2,1 mm
da max	188 mm
Da min	228 mm
Weight	17,3 Kg
LangID	1
ALPHA_	0.205
D_a max	248
Da max.	248 mm
da min.	182 mm
Oil rpm	1300
D_a min	228
GRS rpm	1000
hidYobi	24034CE4
TSR rpm	1600
ra max.	2 mm
Category	Bearings
hidTable	ecat_NSSPHR
Macha rpm	0
Size (mm)	170x260x90
Inventory	0.0
Prod_Type3	SRB_CTB_CB
Width (mm)	90
Product Group	B04311
Bearing number	24034CE4
Manufacturer Name	NSK
Weight / Kilogram	0.631
Bore Diameter (mm)	170
Outer Diameter (mm)	260
Minimum Buy Quantity	N/A
Calculation factor (e)	0,31

(Oil) Lubrication Speed	1300 r/min
Calculation factor (Y0)	2,1
Calculation factor (Y2)	3,2
(Grease) Lubrication Speed	1000 r/min
Basic dynamic load rating (C)	825 kN
Basic static load rating (C0)	1520 kN