


Bearing No. PASE60-N



N	18 mm
d	60 mm
A	60 mm
H	69,9 mm
J	190 mm
L	240 mm
N1	28 mm
S1	39,6 mm
d3	84 mm
A1	42 mm
B1	53,1 mm
H1	25 mm
H2	140 mm
Noun	Bearing
Bore	2.362 Inch 60 Millimeter
Seals	Double Lip Contact
UNSPSC	31171511
Weight	4,35 Kg
Category	Pillow Block
Inventory	0.0
Thread (Q)	Rp1/8
Weight / LBS	12.348
Product Group	M06110
Housing Style	2 Bolt Pillow Block
Inch - Metric	Metric
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row Spherical Standard Shaft Height With Set Screw

Bearing number	PASE60-N
Mounting Method	Eccentric Collar
Rolling Element	Ball Bearing
Manufacturer URL	http://www.ina.com
Housing Material	Cast Iron
Long Description	2 Bolt Pillow Block; 60MM Bore; 70MM Base to Center Height; Eccentric Collar Mount; Ball Bearing; 177MM Minimum Bolt Spacing; 201.5MM Bolt Spacing Maximum; Relubricatable; Cast Iron; Double Lip Contac
Length Thru Bore	2.091 Inch 53.1 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	5.209
Bore Diameter (mm)	60
Insert Part Number	GRAE60NPPB
Minimum Buy Quantity	N/A
Bolt Spacing Minimum	6.969 Inch 177Millimeter
Bolt Spacing Maximum	7.933 Inch 201.5Millimeter
Base to Center Height	2.756 Inch 70 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	PASE60N
Number of Mounting Holes	2
Expansion / Non-expansion	Non-expansion
Actual Bolt Center to	0 Inch 0Millimeter

Center	
Nominal Bolt Center to Center	7.5 Inch 190 Millimeter
Basic dynamic load rating (C)	52 kN