




Bearing No. RNAO12X22X12-TV

C	12 mm
m	19 g / Weight
E	18 mm
D	22 mm
Noun	Bearing
Bore	0.472 Inch 12 Millimeter
Width	0.472 Inch 12 Millimeter
UNSPSC	31171512
Category	Needle Non Thrust Roller Bearing
Retainer	Yes
Separable	Outer Ring - Both Sides
Inventory	0.0
Enclosure	Open
Component	Roller Assembly with Outer Ring - No Inner Ring
Size (mm)	12x22x12
Closed End	No
Width (mm)	12
Weight / LBS	0.042
Inch - Metric	Metric
Self Aligning	No
Product Group	B04144
n_B	16200 1/min / Reference speed
n_G	26000 1/min / Limiting speed
C_r	11300 N / Dynamic load rating (radial)
d	17,6 mm

b	
D _b	12,3 mm
D _a	18,3 mm
F _w	12 mm
Keyword String	Needle
Other Features	Plain Outer Ring Precision Bearing Plastic Cage Ground Raceway
C _{ur}	1740 N / Fatigue limit load, radial
C _{0r}	9900 N / Static load rating (radial)
Relubricatable	No
Thrust Bearing	No
Bearing number	RNAO12X22X12-TV
Rolling Element	Needle Roller Bearing
r _{min}	0,3 mm
Manufacturer URL	http://www.ina.com
Outside Diameter	0.866 Inch 22 Millimeter
Long Description	12MM Bore; 22MM Outside Diameter; 12MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; Outer Ring - Bo
Manufacturer Name	SCHAEFFLER GROUP
r _{a max}	0,3 mm
Weight / Kilogram	0.025
Bore Diameter (mm)	12
Outer Diameter (mm)	22



Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.40.00.00
Manufacturer Item Number	RNAO12X22X12TN
Number of Rows of Rollers	Single Row