

Bearing No. 81228-M

	GS81228 / Allocated housing locating washer
m	5,07 kg / Weight
d	140 mm
D	200 mm
T	46 mm
Noun	Bearing
Banded	No
UNSPSC	31171507
Bore 2	5.63 Inch | 143 Millimeter
Bore 1	5.512 Inch | 140 Millimeter
Height	1.811 Inch | 46 Millimeter
Category	Thrust Roller Bearings
Keyword 3	Cylindrical
Inventory	0.0
Size (mm)	140x200x46
Width (mm)	46
Weight / LBS	10.07
Inch - Metric	Metric
Cage Material	Machined Brass
Self Aligning	No
Product Group	B04144
n_G	1690 1/min / Limiting speed
D_1	143 mm
d_1	197 mm
n_B	730 1/min / Reference speed
C	455000 N / Dynamic

$_a$	load rating (axial)
Bearing number	81228-M
Keyword String	Thrust Roller Cylindrical
Other Features	Single Row | Axial Cylindrical Roller | High Axial Load
C_{ua}	141000 N / Fatigue limit load
C_{0a}	1450000 N / Static load rating (axial)
Thrust Bearing	Yes
r_{min}	1,5 mm
Rolling Element	Cylindrical Roller Bearing
Precision Class	ABEC 1 | ISO P0
Long Description	140MM Bore 1; 143MM Bore 2; 200MM Outside Diameter; 46MM Height; Cylindrical Roller Bearing; Single Direction; Not Self Aligning; Not Banded; Machined Brass Cage; ABEC 1 | ISO P0; Roller Assembly plus
Manufacturer URL	http://www.ina.com
Outside Diameter	7.874 Inch | 200 Millimeter
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	3.557
Bore Diameter (mm)	140
Outer Diameter (mm)	200
Minimum Buy Quantity	N/A
Component Description	Roller Assembly plus Raceways
Harmonized Tariff Code	8482.50.00.00
Manufacturer Item	81228M

Number	
Single or Double Direction	Single Direction
Overall Height with Aligning Washer	0 Inch | 0 Millimeter
- K81228-M / Allocated axial cylindrical roller and cage assembly	K81228M / Allocated axial cylindrical roller and cage assembly