




Bearing No. RAK1-3/16

L	157,15 mm
d	30,163 mm
A	41,504 mm
B	48,489 mm
H	39,701 mm
J	117,247 mm
N	15,012 mm
N1	8,459 mm
S1	30,201 mm
d3	43,993 mm
A1	26,01 mm
H1	16,993 mm
H2	80,493 mm
Noun	Bearing
Bore	1.188 Inch 30.175 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Category	Pillow Block
Inventory	0.0
Thread (Q)	1/8 NPT
Weight / LBS	2.867
Product Group	M06110
Inch - Metric	Inch
Housing Style	2 Bolt Pillow Block
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row Low Base With Set Screw
Bearing number	RAK1-3/16

Rolling Element	Ball Bearing
Mounting Method	Eccentric Collar
Housing Material	Cast Iron
Length Thru Bore	1.906 Inch 48.42 Millimeter
Long Description	2 Bolt Pillow Block; 1-3/16" Bore; 1-9/16" Base to Center Height; Eccentric Collar Mount; Ball Bearing; 4.284" Minimum Bolt Spacing; 4.949" Bolt Spacing Maximum; Relubricatable; Ca
Manufacturer URL	http://www.ina.com
Weight / Kilogram	1.3
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	30,163
Insert Part Number	G1103KRRB
Minimum Buy Quantity	N/A
Bolt Spacing Minimum	4.284 Inch 108.814Millimeter
Bolt Spacing Maximum	4.949 Inch 125.7Millimeter
Housing Configuration	1 Piece Solid
Base to Center Height	1.563 Inch 39.7 Millimeter
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RAK1-3/16
Number of Mounting Holes	2
Expansion / Non- expansion	Non-expansion
Actual Bolt Center to Center	0 Inch 0Millimeter
Nominal Bolt Center to	4.8 Inch 121 Millimeter

Center	
--------	--