




Bearing No. RAK3/4

L	129,998 mm
d	19.05 mm
A	32,004 mm
B	43,688 mm
H	31,801 mm
J	96,012 mm
N	10,999 mm
N1	8,992 mm
S1	26,594 mm
d3	32,995 mm
A1	19,99 mm
H1	13,005 mm
H2	62,789 mm
Bore	0.75 Inch 19.05 Millimeter
Noun	Bearing
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Category	Pillow Block
Inventory	0.0
Weight / LBS	1.323
Product Group	M06110
Inch - Metric	Inch
Housing Style	2 Bolt Pillow Block
Keyword String	Pillow Block
Relubricatable	Yes
Other Features	Single Row Low Base With Set Screw
Bearing number	RAK3/4
Mounting Method	Eccentric Collar

Rolling Element	Ball Bearing
Long Description	2 Bolt Pillow Block; 3/4" Bore; 1-1/4" Base to Center Height; Eccentric Collar Mount; Ball Bearing; 3.425" Minimum Bolt Spacing; 4.134" Bolt Spacing Maximum; Relubricatable; Cast I
Length Thru Bore	1.469 Inch 37.3 Millimeter
Housing Material	Cast Iron
Manufacturer URL	http://www.ina.com
Weight / Kilogram	0.707
Manufacturer Name	SCHAEFFLER GROUP
Insert Part Number	GE17KRRB
Bore Diameter (mm)	19.05
Minimum Buy Quantity	N/A
Bolt Spacing Maximum	4.134 Inch 105Millimeter
Bolt Spacing Minimum	3.425 Inch 87Millimeter
Base to Center Height	1.25 Inch 31.75 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Thread (Q) - 1/4-28 UNF	1/428 UNF
Manufacturer Item Number	RAK3/4
Number of Mounting Holes	2
Expansion / Non-expansion	Non-expansion
Actual Bolt Center to Center	0 Inch 0Millimeter
Nominal Bolt Center to Center	3.8 Inch 97 Millimeter

