




Bearing No. RAK5/8

L	124,994 mm
d	15,875 mm
A	32,004 mm
B	37,389 mm
H	27,001 mm
J	91,999 mm
N	10,999 mm
N1	10,999 mm
S1	23,495 mm
d3	27,991 mm
A1	19 mm
H1	10,795 mm
H2	54,788 mm
Bore	0.625 Inch 15.875 Millimeter
Noun	Bearing
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Category	Pillow Block
Inventory	0.0
Weight / LBS	1.213
Product Group	M06110
Inch - Metric	Inch
Housing Style	2 Bolt Pillow Block
Keyword String	Pillow Block
Relubricatable	Yes
Other Features	Single Row Low Base With Set Screw
Bearing number	RAK5/8
Mounting Method	Eccentric Collar

Rolling Element	Ball Bearing
Length Thru Bore	1.469 Inch 37.3 Millimeter
Long Description	2 Bolt Pillow Block; 5/8" Bore; 1-1/16" Base to Center Height; Eccentric Collar Mount; Ball Bearing; 3-3/16" Minimum Bolt Spacing; 4.055" Bolt Spacing Maximum; Relubricatable; Cast
Housing Material	Cast Iron
Manufacturer URL	http://www.ina.com
Weight / Kilogram	0.55
Manufacturer Name	SCHAEFFLER GROUP
Insert Part Number	G1010KRRB
Bore Diameter (mm)	15,875
Minimum Buy Quantity	N/A
Bolt Spacing Minimum	3.189 Inch 81Millimeter
Bolt Spacing Maximum	4.055 Inch 103Millimeter
Housing Configuration	1 Piece Solid
Base to Center Height	1.063 Inch 27 Millimeter
Harmonized Tariff Code	8483.20.40.40
Thread (Q) - 1/4-28 UNF	1/428 UNF
Manufacturer Item Number	RAK5/8
Number of Mounting Holes	2
Expansion / Non- expansion	Non-expansion
Actual Bolt Center to Center	0 Inch 0Millimeter
Nominal Bolt Center to Center	3.6 Inch 92 Millimeter

