




Bearing No. 52202

T	22 mm
a	5 mm
d	15 mm
D	32 mm
D2	24 mm
D3	35 mm
D1	17 mm
T1	13.5 mm
d3	32 mm
d2	10 mm
Noun	Bearing
UNSPSC	31171552
r min.	0.6 mm
Height	0.866 Inch 22 Millimeter
Banded	No
Bore 1	0.394 Inch 10 Millimeter
Weight	0.085 Kg
Bore 2	0.669 Inch 17 Millimeter
r1 min.	0.3 mm
da min.	15 mm
Da max.	22 mm
ra max.	0.6 mm
ra1 max.	0.3 mm
Category	Thrust Ball Bearings
Size (mm)	15x32x22
Inventory	0.0
Width (mm)	22
Weight / LBS	0.18739

Inch - Metric	Metric
Product Group	B00234
Cage Material	Steel
Keyword String	Ball Thrust
Other Features	Double Row With Flat Seat
Bearing number	52202
Thrust Bearing	Yes
Precision Class	Non-Precision
Rolling Element	Ball Bearing
Long Description	10MM Bore 1; 17MM Bore 2; 32MM Outside Diameter; 22MM Height; Ball Bearing; Double Direction; Not Banded; Steel Cage; Non-Precision
Manufacturer URL	http://www.nachi.com
Outside Diameter	1.26 Inch 32 Millimeter
Manufacturer Name	NACHI
Weight / Kilogram	0
Bore Diameter (mm)	15
Outer Diameter (mm)	32
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Plus Raceways
Harmonized Tariff Code	8482.10.50.08
Single or Double Direction	Double Direction
(Grease) Lubrication Speed	5100 r/min
Basic dynamic load rating (C)	16,6 kN
Basic static load rating (C0)	24,8 kN
Overall Height with	0 Inch 0 Millimeter

Aligning Washer	
-----------------	--