




Bearing No. 52205

d	25 mm
D	47 mm
T	28 mm
a	7 mm
d3	47 mm
D1	27 mm
d2	20 mm
T1	17.5 mm
D3	50 mm
D2	36 mm
Noun	Bearing
Banded	No
UNSPSC	31171552
Weight	0.230 Kg
Height	1.102 Inch 28 Millimeter
r min.	0.6 mm
Bore 2	1.063 Inch 27 Millimeter
Bore 1	0.787 Inch 20 Millimeter
r1 min.	0.3 mm
da min.	25 mm
Da max.	34 mm
ra max.	0.6 mm
Category	Thrust Ball Bearings
ra1 max.	0.3 mm
Size (mm)	25x47x28
Inventory	0.0
Width (mm)	28
Weight / LBS	0.50706

Inch - Metric	Metric
Product Group	B00234
Cage Material	Steel
Bearing number	52205
Thrust Bearing	Yes
Keyword String	Ball Thrust
Other Features	Double Row With Flat Seat
Rolling Element	Ball Bearing
Precision Class	Non-Precision
Outside Diameter	1.85 Inch 47 Millimeter
Manufacturer URL	http://www.nachi.com
Long Description	20MM Bore 1; 27MM Bore 2; 47MM Outside Diameter; 28MM Height; Ball Bearing; Double Direction; Not Banded; Steel Cage; Non-Precision
Weight / Kilogram	0
Manufacturer Name	NACHI
Bore Diameter (mm)	25
Outer Diameter (mm)	47
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Plus Raceways
Harmonized Tariff Code	8482.10.50.08
Single or Double Direction	Double Direction
(Grease) Lubrication Speed	3700 r/min
Basic dynamic load rating (C)	27,8 kN
Basic static load rating (C0)	50,5 kN
Overall Height with	0 Inch 0 Millimeter

Aligning Washer	
-----------------	--