




Bearing No. 52205

B	7 mm
T	28 mm
d	25 mm
D	47 mm
D1	27 mm
d3	47 mm
T2	17,5 mm
d2	20 mm
Noun	Bearing
Height	1.102 Inch 28 Millimeter
r min.	0,6 mm
Bore 1	0.787 Inch 20 Millimeter
UNSPSC	31171552
Bore 2	1.063 Inch 27 Millimeter
Banded	No
Weight	0,213 Kg
Da max.	36 mm
rb max.	0,3 mm
ra max.	0,6 mm
r1 min.	0,3 mm
Category	Thrust Ball Bearings
Inventory	0.0
Size (mm)	25x47x28
Width (mm)	28
Weight / LBS	0.46958
Inch - Metric	Metric
Product Group	B00308
Cage Material	Steel

Keyword String	Ball Thrust
bore diameter:	20 mm
Other Features	Double Row With Flat Seat
Bearing number	52205
overall width:	28 mm
Thrust Bearing	Yes
Precision Class	Non-Precision
Rolling Element	Ball Bearing
Outside Diameter	1.85 Inch 47 Millimeter
Long Description	20MM Bore 1; 27MM Bore 2; 47MM Outside Diameter; 28MM Height; Ball Bearing; Double Direction; Not Banded; Steel Cage; Non-Precision
Manufacturer URL	http://www.nskamericas.com
Weight / Kilogram	0.21
outside diameter:	47 mm
Manufacturer Name	NSK
Bore Diameter (mm)	25
Outer Diameter (mm)	47
thrust bearing type:	Double-Direction
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Plus Raceways
Harmonized Tariff Code	8482.10.50.08
manufacturer upc number:	029176062438
Manufacturer Item Number	52205
(Grease) Lubrication Speed	3400 r/min
Single or Double	Double Direction

Direction	
Basic static load rating (C0)	50,5 kN
Basic dynamic load rating (C)	28 kN
Overall Height with Aligning Washer	0 Inch 0 Millimeter