




Bearing No. 52206

d	30 mm
D	52 mm
T	29 mm
a	7 mm
d3	52 mm
D1	32 mm
d2	25 mm
T1	18 mm
D3	55 mm
D2	42 mm
Noun	Bearing
Banded	No
UNSPSC	31171552
Weight	0.272 Kg
Bore 1	0.984 Inch 25 Millimeter
r min.	0.6 mm
Height	1.142 Inch 29 Millimeter
Bore 2	1.26 Inch 32 Millimeter
r1 min.	0.3 mm
da min.	30 mm
Da max.	39 mm
ra max.	0.6 mm
Category	Thrust Ball Bearings
ra1 max.	0.3 mm
Size (mm)	30x52x29
Inventory	0.0
Width (mm)	29
Weight / LBS	0.59966
Inch - Metric	Metric

Product Group	B00234
Cage Material	Steel
Bearing number	52206
Thrust Bearing	Yes
Keyword String	Ball Thrust
Other Features	Double Row With Flat Seat
Rolling Element	Ball Bearing
Precision Class	Non-Precision
Outside Diameter	2.047 Inch 52 Millimeter
Manufacturer URL	http://www.nachi.com
Long Description	25MM Bore 1; 32MM Bore 2; 52MM Outside Diameter; 29MM Height; Ball Bearing; Double Direction; Not Banded; Steel Cage; Non-Precision
Weight / Kilogram	0
Manufacturer Name	NACHI
Bore Diameter (mm)	30
Outer Diameter (mm)	52
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Plus Raceways
Harmonized Tariff Code	8482.10.50.08
Single or Double Direction	Double Direction
(Grease) Lubrication Speed	3400 r/min
Basic dynamic load rating (C)	29,3 kN
Basic static load rating (C0)	58 kN
Overall Height with	0 Inch 0 Millimeter

Aligning Washer	
-----------------	--