




Bearing No. RNA6902

D	28 mm
C	23 mm
m	39,7 g / Weight
Bore	0.787 Inch 20 Millimeter
Noun	Bearing
Width	0.906 Inch 23 Millimeter
UNSPSC	31171512
Category	Needle Non Thrust Roller Bearing
Retainer	Yes
Component	Roller Assembly with Outer Ring - No Inner Ring
Enclosure	Open
Size (mm)	20x28x23
Inventory	0.0
Separable	No
Closed End	No
Width (mm)	23
Weight / LBS	0.088
n _G	21100 1/min / Limiting speed
C _r	19500 N / Dynamic load rating (radial)
Product Group	B04144
F _w	20 mm
Self Aligning	No
Inch - Metric	Metric
n _B	10600 1/min / Reference speed

Keyword String	Needle
Other Features	2 Rib Outer Ring Precision Bearing Steel Cage Ground Raceway with Rib Oil Hole
Thrust Bearing	No
Relubricatable	Yes
Bearing number	RNA6902
C_{Or}	25500 N / Static load rating (radial)
C_{ur}	4450 N / Fatigue limit load, radial
Rolling Element	Needle Roller Bearing
r_{min}	0,3 mm
Long Description	20MM Bore; 28MM Outside Diameter; 23MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; No Separable; N
Manufacturer URL	http://www.ina.com
Outside Diameter	1.102 Inch 28 Millimeter
Weight / Kilogram	0.04
Manufacturer Name	SCHAEFFLER GROUP
Bore Diameter (mm)	20
Outer Diameter (mm)	28
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.40.00.00
Manufacturer Item Number	RNA6902
Number of Rows of Rollers	Single Row

