




Bearing No. 52207

d	35 mm
D	62 mm
T	34 mm
B	8 mm
d2	30 mm
T2	21 mm
d3	62 mm
D1	37 mm
Noun	Bearing
Height	1.339 Inch 34 Millimeter
Weight	0,406 Kg
Bore 2	1.457 Inch 37 Millimeter
Bore 1	1.181 Inch 30 Millimeter
UNSPSC	31171552
r min.	1 mm
Banded	No
Da max.	48 mm
rb max.	0,3 mm
ra max.	1 mm
r1 min.	0,3 mm
Category	Thrust Ball Bearings
Inventory	0.0
Size (mm)	35x62x34
Width (mm)	34
Weight / LBS	0.89508
Inch - Metric	Metric
Product Group	B00308
Cage Material	Steel

Keyword String	Ball Thrust
Other Features	Double Row With Flat Seat
Bearing number	52207
Thrust Bearing	Yes
Precision Class	Non-Precision
Rolling Element	Ball Bearing
Outside Diameter	2.441 Inch 62 Millimeter
Long Description	30MM Bore 1; 37MM Bore 2; 62MM Outside Diameter; 34MM Height; Ball Bearing; Double Direction; Not Banded; Steel Cage; Non-Precision
Manufacturer URL	http://www.nskamericas.com
Weight / Kilogram	0.42
Manufacturer Name	NSK
Bore Diameter (mm)	35
Outer Diameter (mm)	62
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Plus Raceways
Harmonized Tariff Code	8482.10.50.08
Manufacturer Item Number	52207
Single or Double Direction	Double Direction
(Grease) Lubrication Speed	2800 r/min
Basic dynamic load rating (C)	39,5 kN
Basic static load rating (C0)	78 kN
Overall Height with	0 Inch 0 Millimeter

Aligning Washer	
-----------------	--