


Bearing No. RASEY35-N



N	14 mm
d	35 mm
A	45 mm
B	42,9 mm
H	47,6 mm
J	126 mm
L	163 mm
N1	21 mm
S1	25,4 mm
A1	27 mm
H1	19 mm
H2	93 mm
Noun	Bearing
Bore	1.378 Inch 35 Millimeter
Seals	Double Land Riding Rubber Contact
UNSPSC	31171511
Weight	1,55 Kg
Category	Pillow Block
Inventory	0.0
Thread (Q)	Rp1/8
Weight / LBS	3.75
Product Group	M06110
Inch - Metric	Metric
Housing Style	2 Bolt Pillow Block
Relubricatable	Yes
Keyword String	Pillow Block
Other Features	Single Row Standard Shaft Height
Bearing number	RASEY35-N

Mounting Method	Set Screw
Rolling Element	Ball Bearing
Long Description	2 Bolt Pillow Block; 35MM Bore; 47.6MM Base to Center Height; Set Screw Mount; Ball Bearing; 122.1MM Minimum Bolt Spacing; 137.9MM Bolt Spacing Maximum; Relubricatable; Cast Iron; Double Land Riding R
Length Thru Bore	1.689 Inch 42.9 Millimeter
Housing Material	Cast Iron
Manufacturer URL	http://www.ina.com
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	1.7
Insert Part Number	GYE35KRRB
Bore Diameter (mm)	35
Minimum Buy Quantity	N/A
Bolt Spacing Maximum	5.429 Inch 137.9Millimeter
Bolt Spacing Minimum	4.807 Inch 122.1Millimeter
Base to Center Height	1.874 Inch 47.6 Millimeter
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RASEY35
Number of Mounting Holes	2
Expansion / Non- expansion	Non-expansion
Actual Bolt Center to Center	0 Inch 0Millimeter



Basic dynamic load rating (C)	25,5 kN
Nominal Bolt Center to Center	5 Inch 127 Millimeter