




Bearing No. RCJ60-N

d	60 mm
V	150 mm
U	80,9 mm
A	46 mm
J	143 mm
L	175 mm
N	18 mm
A2	34 mm
d3	84 mm
A1	16 mm
B1	77,9 mm
Bore	2.362 Inch 60 Millimeter
Noun	Bearing
Seals	Double Land Riding Rubber Contact
UNSPSC	31171501
Weight	4,21 Kg
Category	Flange Block
Inventory	0.0
Thread (Q)	Rp1/8
Weight / LBS	11.025
Bolt Spacing	5.63 Inch 143 Millimeter
Product Group	M06110
Housing Style	4 Bolt Square Flange Block
Inch - Metric	Metric
Relubricatable	Yes
Keyword String	Flanged
Other Features	Single Row End Cap With Set Screw

Bearing number	RCJ60-N
Mounting Bolts	18 Millimeter
Mounting Method	Eccentric Collar
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Manufacturer URL	http://www.ina.com
Length Thru Bore	3.063 Inch 77.8 Millimeter
Long Description	4 Bolt Square Flange Block; 60MM Bore; 202MM Bolt Circle; 143MM Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron; Ball Bearing; 77.8MM Length Thru Bore; Relubricatable; Double Land Ridin
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	5.329
Bore Diameter (mm)	60
Insert Part Number	GE60KRRB
Pilot Configuration	No Pilot
Minimum Buy Quantity	N/A
Housing Configuration	1 Piece Solid
Cartridge Pilot Depth	0 Inch 0 Millimeter
Harmonized Tariff Code	8483.20.40.40
Number of Mounting Holes	4
Manufacturer Item Number	RCJ60N
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Expansion / Non-expansion	Non-expansion
Basic dynamic load rating (C)	52 kN



Nominal Bolt Circle Diameter Round	8 Inch 202 Millimeter
---------------------------------------	-------------------------