




Bearing No. 52320

B	21 mm
d	100 mm
D	170 mm
T	97 mm
d2	85 mm
T2	59 mm
d3	170 mm
D1	103 mm
Noun	Bearing
Weight	8,82 Kg
Bore 1	3.346 Inch 85 Millimeter
Height	3.819 Inch 97 Millimeter
UNSPSC	31171552
r min.	1,5 mm
Banded	No
Bore 2	4.055 Inch 103 Millimeter
rb max.	1 mm
ra max.	1,5 mm
Da max.	135 mm
r1 min.	1 mm
Category	Thrust Ball Bearings
Inventory	0.0
Size (mm)	100x170x97
Width (mm)	97
Weight / LBS	19.445
Cage Material	Steel
Inch - Metric	Metric
Product Group	B00308

Thrust Bearing	Yes
Keyword String	Ball Thrust
Other Features	Double Row With Flat Seat
Bearing number	52320
Rolling Element	Ball Bearing
Precision Class	Non-Precision
Manufacturer URL	http://www.nskamericas.com
Outside Diameter	6.693 Inch 170 Millimeter
Long Description	85MM Bore 1; 103MM Bore 2; 170MM Outside Diameter; 97MM Height; Ball Bearing; Double Direction; Not Banded; Steel Cage; Non-Precision
Weight / Kilogram	8.9
Manufacturer Name	NSK
Bore Diameter (mm)	100
Outer Diameter (mm)	170
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Plus Raceways
Harmonized Tariff Code	8482.10.50.08
Manufacturer Item Number	52320
Single or Double Direction	Double Direction
(Grease) Lubrication Speed	950 r/min
Basic static load rating (C0)	595 kN
Basic dynamic load rating (C)	239 kN
Overall Height with	0 Inch 0 Millimeter

Aligning Washer	
-----------------	--