




Bearing No. NUP322EM

S	3,8 mm
D	240 mm
r	3
C	50 mm
B	50 mm
d	110 mm
Fw	143 mm
D_	240
rb	2.5
B_	50
ra	2.5
C0	525
r1	3
da	123
Z_	14
DE_	211
DA_	34
DI_	143
mass	12.1
SDM_	177
SBRG	3
yobi	NUP322EM
KBRG	4165
LangID	1
r min.	3 mm
db max	139
dd min	158
Db max	227 mm
ALPHA_	0
db min	123 mm

C_conv	450000
Weight	11,8 Kg
dc min	145
TSR rpm	3200
D_a max	227
GRS rpm	2600
hidYobi	NUP322EM
Oil rpm	3000
ra max.	2,5 mm
r1 min.	3 mm
da min.	123 mm
Da max.	227 mm
db max.	139 mm
rb max.	2,5 mm
Category	Bearings
hidTable	ecat_NSCLDR
Macha rpm	5000
Size (mm)	110x240x50
Inventory	0.0
Width (mm)	50
Prod_Type3	CRB_SR_NUP
Product Group	B04144
Bearing number	NUP322EM
Manufacturer Name	NSK
Weight / Kilogram	11.8
Bore Diameter (mm)	110
Outer Diameter (mm)	240
Minimum Buy Quantity	N/A
(Grease) Lubrication Speed	2600 r/min
Basic dynamic load rating (C)	450 kN
Basic static load rating	525 kN

(C0)	
------	--