




Bearing No. RCJT45

J	148,5 mm
A	35 mm
N	14 mm
L	111 mm
H	180 mm
U	59,1 mm
V	111 mm
d	45 mm
d3	63 mm
A1	13 mm
B1	56,5 mm
A2	24 mm
Noun	Bearing
Bore	1.772 Inch 45 Millimeter
Seals	Double Land Riding Rubber Contact
Weight	1,81 Kg
UNSPSC	31171501
Category	Flange Block
Inventory	0.0
Thread (Q)	Rp1/8
Bolt Spacing	5.846 Inch 148.5 Millimeter
Weight / LBS	4.631
Inch - Metric	Metric
Housing Style	2 Bolt Flange Block
Product Group	M06110
Bearing number	RCJT45
Relubricatable	Yes
Keyword String	Flanged

Other Features	Single Row With Set Screw
Mounting Bolts	14 Millimeter
Rolling Element	Ball Bearing
Mounting Method	Eccentric Collar
Manufacturer URL	http://www.ina.com
Housing Material	Cast Iron
Long Description	2 Bolt Flange Block; 45MM Bore; 148MM Bolt Circle; 148.5MM Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron; Ball Bearing; 56.3MM Length Thru Bore; Relubricatable; Double Land Riding Rub
Length Thru Bore	2.217 Inch 56.3 Millimeter
Weight / Kilogram	2.1
Manufacturer Name	SCHAEFFLER GROUP
Insert Part Number	GE45KRRB
Bore Diameter (mm)	45
Pilot Configuration	No Pilot
Minimum Buy Quantity	N/A
Housing Configuration	1 Piece Solid
Cartridge Pilot Depth	0 Inch 0 Millimeter
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RCJT45
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Number of Mounting Holes	2
Expansion / Non-expansion	Non-expansion
Basic dynamic load rating (C)	32,5 kN



Nominal Bolt Circle Diameter Round	5.8 Inch 148 Millimeter
---------------------------------------	---------------------------