




Bearing No. RCJT65-214

d	65 mm
V	160 mm
U	82,6 mm
A	57 mm
H	258 mm
J	216 mm
L	160 mm
N	21 mm
A2	38 mm
d3	96 mm
A1	18 mm
B1	66 mm
Bore	2.559 Inch 65 Millimeter
Noun	Bearing
Seals	Double Land Riding Rubber Contact
Weight	6,41 Kg
UNSPSC	31171501
Category	Flange Block
Inventory	0.0
Thread (Q)	Rp1/8
Bolt Spacing	8.504 Inch 216 Millimeter
Weight / LBS	14.134
Product Group	M06110
Inch - Metric	Metric
Housing Style	2 Bolt Flange Block
Relubricatable	Yes
Keyword String	Flanged
Other Features	Single Row Radial

	Metric With Set Screw
Bearing number	RCJT65-214
Mounting Bolts	21 Millimeter
Rolling Element	Ball Bearing
Mounting Method	Eccentric Collar
Housing Material	Cast Iron
Long Description	2 Bolt Flange Block; 65MM Bore; 215MM Bolt Circle; 216MM Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron; Ball Bearing; 66.1MM Length Thru Bore; Relubricatable; Double Land Riding Rubbe
Length Thru Bore	2.602 Inch 66.1 Millimeter
Manufacturer URL	http://www.ina.com
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	7.508
Insert Part Number	GE65KRRB
Bore Diameter (mm)	65
Pilot Configuration	No Pilot
Minimum Buy Quantity	N/A
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RCJT65
Number of Mounting Holes	2
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Expansion / Non-expansion	Non-expansion
Basic dynamic load rating (C)	62 kN

Nominal Bolt Circle Diameter Round	8.5 Inch 215 Millimeter
---------------------------------------	---------------------------