




Bearing No. RCJTY20-N

d	20 mm
V	61 mm
U	37,3 mm
A	28 mm
B	31 mm
H	112 mm
J	90 mm
L	61 mm
N	11,5 mm
A2	19 mm
A1	10 mm
Bore	0.787 Inch 20 Millimeter
Noun	Bearing
Seals	Double Land Riding Rubber Contact
Weight	0,42 Kg
UNSPSC	31171501
Category	Flange Block
Inventory	0.0
Thread (Q)	Rp1/8
Bolt Spacing	3.543 Inch 90 Millimeter
Weight / LBS	1.103
Product Group	M06110
Inch - Metric	Metric
Housing Style	2 Bolt Flange Block
Relubricatable	Yes
Keyword String	Flanged
Other Features	Single Row Radial Metric With Grub Screw

Bearing number	RCJTY20-N
Mounting Bolts	11.5 Millimeter
Rolling Element	Ball Bearing
Mounting Method	Set Screw
Housing Material	Cast Iron
Long Description	2 Bolt Flange Block; 20MM Bore; 90MM Bolt Circle; 90MM Bolt Spacing; 1 Piece Solid; Set Screw Mount; Cast Iron; Ball Bearing; 31MM Length Thru Bore; Relubricatable; Double Land Riding Rubber Contact S
Length Thru Bore	1.22 Inch 31 Millimeter
Manufacturer URL	http://www.ina.com
Manufacturer Name	SCHAEFFLER GROUP
Weight / Kilogram	0.5
Insert Part Number	GYE20KRRB
Bore Diameter (mm)	20
Pilot Configuration	No Pilot
Minimum Buy Quantity	N/A
Housing Configuration	1 Piece Solid
Harmonized Tariff Code	8483.20.40.40
Manufacturer Item Number	RCJTY20
Number of Mounting Holes	2
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Expansion / Non-expansion	Non-expansion
Basic dynamic load rating (C)	12,8 kN
Nominal Bolt Circle Diameter Round	3.5 Inch 90 Millimeter

