




Bearing No. NUP316EM

S	1,5 mm
D	170 mm
r	2.1
C	39 mm
B	39 mm
d	80 mm
Fw	101 mm
D_	170
rb	2
B_	39
ra	2
C0	282
r1	2.1
da	91
Z_	13
DE_	151
DA_	25
DI_	101
mass	4.58
SDM_	126
SBRG	3
yobi	NUP316EM
KBRG	4165
LangID	1
r min.	2,1 mm
db max	98
dd min	114
Db max	159 mm
ALPHA_	0
db min	91 mm

C_conv	256000
Weight	4,45 Kg
dc min	105
TSR rpm	4300
D_a max	159
GRS rpm	3600
hidYobi	NUP316EM
Oil rpm	4300
ra max.	2 mm
r1 min.	2,1 mm
da min.	91 mm
Da max.	159 mm
db max.	98 mm
rb max.	2 mm
Category	Bearings
hidTable	ecat_NSCLDR
Macha rpm	7100
Size (mm)	80x170x39
Inventory	0.0
Width (mm)	39
Prod_Type3	CRB_SR_NUP
Product Group	B04144
Bearing number	NUP316EM
Manufacturer Name	NSK
Weight / Kilogram	4.009
Bore Diameter (mm)	80
Outer Diameter (mm)	170
Minimum Buy Quantity	N/A
(Grease) Lubrication Speed	3600 r/min
Basic dynamic load rating (C)	256 kN
Basic static load rating	282 kN

(C0)	
------	--