




Bearing No. NUP315EM

S	1,4 mm
D	160 mm
r	2.1
C	37 mm
B	37 mm
d	75 mm
Fw	95 mm
D_	160
rb	2
B_	37
ra	2
C0	263
r1	2.1
da	86
Z_	13
DE_	143
DA_	24
DI_	95
mass	3.85
SDM_	119
SBRG	3
yobi	NUP315EM
KBRG	4165
LangID	1
r min.	2,1 mm
db max	92
dd min	106
Db max	149 mm
ALPHA_	0
db min	86 mm

C_conv	240000
Weight	3,73 Kg
dc min	97
TSR rpm	4500
D_a max	149
GRS rpm	3800
hidYobi	NUP315EM
Oil rpm	4800
ra max.	2 mm
r1 min.	2,1 mm
da min.	86 mm
Da max.	149 mm
db max.	92 mm
rb max.	2 mm
Category	Bearings
hidTable	ecat_NSCLDR
Macha rpm	7500
Size (mm)	75x160x37
Inventory	0.0
Width (mm)	37
Prod_Type3	CRB_SR_NUP
Product Group	B04144
Bearing number	NUP315EM
Manufacturer Name	NSK
Weight / Kilogram	2.2
Bore Diameter (mm)	75
Outer Diameter (mm)	160
Minimum Buy Quantity	N/A
(Grease) Lubrication Speed	3800 r/min
Basic dynamic load rating (C)	240 kN
Basic static load rating	263 kN

(C0)	
------	--