




Bearing No. 54410

R	90 mm
T	83,2 mm
B	18 mm
d	50 mm
D	110 mm
D1	52 mm
A1	30 mm
d3	110 mm
T2	50,6 mm
d2	40 mm
Noun	Bearing
Weight	3,59 Kg
r min.	1,5 mm
UNSPSC	31171552
Height	3.268 Inch 83 Millimeter
Bore 1	1.575 Inch 40 Millimeter
Banded	No
Bore 2	2.047 Inch 52 Millimeter
r1 min.	0,6 mm
rb max.	0,6 mm
ra max.	1,5 mm
Da max.	80 mm
Category	Thrust Ball Bearings
Size (mm)	50x110x83.2
Inventory	0.0
Width (mm)	83,2
Weight / LBS	7.73823
Inch - Metric	Metric

Product Group	B00308
Cage Material	Steel
Keyword String	Ball Thrust
Other Features	Double Row With Aligning Seat
Bearing number	54410
Thrust Bearing	Yes
Precision Class	Non-Precision
Rolling Element	Ball Bearing
Outside Diameter	4.331 Inch 110 Millimeter
Long Description	40MM Bore 1; 52MM Bore 2; 110MM Outside Diameter; 83MM Height; Ball Bearing; Double Direction; Not Banded; Steel Cage; Non-Precision
Manufacturer URL	http://www.nskamericas.com
Manufacturer Name	NSK
Weight / Kilogram	4.446
Bore Diameter (mm)	50
Outer Diameter (mm)	110
Minimum Buy Quantity	N/A
Component Description	Roller Assembly Plus Raceways
Harmonized Tariff Code	8482.10.50.08
Single or Double Direction	Double Direction
(Grease) Lubrication Speed	1400 r/min
Basic dynamic load rating (C)	147 kN
Basic static load rating (C0)	288 kN

Overall Height with Aligning Washer	0 Inch 0 Millimeter
--	-----------------------