



Bearing No. 6002LLBNR

D	32,000 mm
d	15,000 mm
B	9,000 mm
C	9,000 mm
Bore	0.591 Inch 15 Millimeter
Noun	Bearing
UNSPSC	31171504
series:	60
Category	Single Row Ball Bearing
Enclosure	2 Seals
Size (mm)	15x32x9
Inventory	0.0
Snap Ring	Yes
bore type:	Round
Width (mm)	9,000
Weight / LBS	0.066
maximum rpm:	26000 RPM
Product Group	B00308
Cage Material	Steel
Inch - Metric	Metric
closure type:	Double Sealed
overall width:	9 mm
Enclosure Type	Non-Contact Seal
cage material:	Steel
bore diameter:	15 mm
fillet radius:	0.3 mm
Keyword String	Ball
Other Features	Deep Groove Non-Friction Nitrile Rubber Seal With Snap Ring

	Shell Alvania Prelubricated
Bearing number	6002LLBNR
finish/coating:	Uncoated
Rolling Element	Ball Bearing
Precision Class	ABEC 1 ISO P0
Inner Race Width	0 Inch 0 Millimeter
Outside Diameter	1.26 Inch 32 Millimeter
Manufacturer URL	http://www.ntnamerica.com
Outer Race Width	0.354 Inch 9 Millimeter
Long Description	15MM Bore; 32MM Outside Diameter; 9MM Outer Race Diameter; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; Yes Snap Ring; No Internal Special Features
bearing material:	High Carbon Chrome Steel
Manufacturer Name	NTN
outer ring width:	9 mm
Weight / Kilogram	0.031
inner ring width:	9 mm
outside diameter:	32 mm
precision rating:	ISO Class 0
Internal Clearance	C0-Medium
Bore Diameter (mm)	15,000
snap ring included:	With Snap Ring
internal clearance:	CN
Outer Diameter (mm)	32,000
Minimum Buy Quantity	N/A
maximum rpm (grease):	22000 rpm
static load capacity:	2830 N

row type & fill slot:	Single Row Non-Fill Slot
dynamic load capacity:	5600 N
Harmonized Tariff Code	8482.10.50.68
Manufacturer Item Number	6002LLBNR
Internal Special Features	No
manufacturer product page:	Click here
operating temperature range:	-40 to 120 °C
Maximum Capacity / Filling Slot	No