



Bearing No. RNA49/32

D	52 mm
C	20 mm
Fw	40 mm
Cr	32
Cu	7.85
C0r	49.3
Noun	Bearing
Bore	1.575 Inch 40 Millimeter
Width	0.787 Inch 20 Millimeter
UNSPSC	31171512
Weight	0,1 Kg
rs(min)	0.6
r5 min.	0,6 mm
Oil lub.	11000
Retainer	Yes
Category	Needle Non Thrust Roller Bearing
Size (mm)	40x52x20
Component	Roller Assembly with Outer Ring - No Inner Ring
Enclosure	Open
Separable	No
Inventory	0.0
Width (mm)	20
Closed End	No
Grease lub.	7100
Bearing No.	RNA49/32
Weight / LBS	0.22
Product Group	B04144

Self Aligning	No
Inch - Metric	Metric
Keyword String	Needle
Bearing number	RNA49/32
Other Features	2 Rib Outer Ring Steel Cage Oil Hole
Thrust Bearing	No
Relubricatable	Yes
Rolling Element	Needle Roller Bearing
Outside Diameter	2.047 Inch 52 Millimeter
Long Description	40MM Bore; 52MM Outside Diameter; 20MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; No Separable; N
(Refer.)Mass(kg)	0.100
Manufacturer URL	http://www.koyousa.com
Manufacturer Name	KOYO
Weight / Kilogram	0.1
Bore Diameter (mm)	40
Outer Diameter (mm)	52
Minimum Buy Quantity	N/A
Harmonized Tariff Code	8482.40.00.00
Manufacturer Item Number	RNA49/32
Number of Rows of Rollers	Single Row
(Grease) Lubrication Speed	7100 r/min
Basic static load rating (C0)	49,3 kN

Basic dynamic load rating (C)	32 kN
-------------------------------	-------